


# CHROMATOGRAPHY


## Chromatography Column, Teflon Stop cock Standard taper joint

Cat.No	Column		Joint
	I.D. (mm)	Length (mm)	
1086-1320	13	200	24/40
1086-1325	13	250	24/40
1086-1330	13	300	24/40
1086-1345	13	450	24/40
1086-1920	19	200	24/40
1086-1925	19	250	24/40
1086-1930	19	300	24/40
1086-1945	19	450	24/40
1086-2520	25	200	24/40
1086-2525	25	250	24/40
1086-2530	25	300	24/40
1086-2545	25	450	24/40
1086-3020	30	200	24/40
1086-3025	30	250	24/40
1086-3030	30	300	24/40
1086-3045	30	450	24/40
1086-3520	35	200	24/40
1086-3525	35	250	24/40
1086-3530	35	300	24/40
1086-3545	35	450	24/40
1086-4020	40	200	24/40
1086-4025	40	250	24/40
1086-4030	40	300	24/40
1086-4045	40	450	24/40
1086-5025	50	250	24/40
1086-5030	50	300	24/40
1086-5045	50	450	24/40
1086-5060	50	600	24/40
1086-6425	64	250	45/50
1086-6430	64	300	45/50
1086-6445	64	450	45/50
1086-6460	64	600	45/50



# CHROMATOGRAPHY

## Chromatography Column, Teflon Stop cock Standard Taper Joint,with Coarse Fritted disc




Cat.No	Column		Joint
	I.D. (mm)	Length (mm)	
1087-1320	13	200	24/40
1087-1325	13	250	24/40
1087-1330	13	300	24/40
1087-1345	13	450	24/40
1087-1920	19	200	24/40
1087-1925	19	250	24/40
1087-1930	19	300	24/40
1087-1945	19	450	24/40
1087-2520	25	200	24/40
1087-2525	25	250	24/40
1087-2530	25	300	24/40
1087-2545	25	450	24/40
1087-3020	30	200	24/40
1087-3025	30	250	24/40
1087-3030	30	300	24/40
1087-3045	30	450	24/40
1087-3520	35	200	24/40
1087-3525	35	250	24/40
1087-3530	35	300	24/40
1087-3545	35	450	24/40
1087-4020	40	200	24/40
1087-4025	40	250	24/40
1087-4030	40	300	24/40
1087-4045	40	450	24/40
1087-5025	50	250	24/40
1087-5030	50	300	24/40
1087-5045	50	450	24/40
1087-5060	50	600	24/40
1087-6425	64	250	45/50
1087-6430	64	300	45/50
1087-6445	64	450	45/50
1087-6460	64	600	45/50

# CHROMATOGRAPHY


Chromatography Column, Teflon Stop cock  
Spherical joint

Cat.No	Column		Joint
	I.D. (mm)	Length (mm)	
1088-1320	13	200	35/20
1088-1325	13	250	35/20
1088-1330	13	300	35/20
1088-1345	13	450	35/20
1088-1920	19	200	35/20
1088-1925	19	250	35/20
1088-1930	19	300	35/20
1088-1945	19	450	35/20
1088-2520	25	200	35/20
1088-2525	25	250	35/20
1088-2530	25	300	35/20
1088-2545	25	450	35/20
1088-3020	30	200	35/20
1088-3025	30	250	35/20
1088-3030	30	300	35/20
1088-3045	30	450	35/20
1088-3520	35	200	35/20
1088-3525	35	250	35/20
1088-3530	35	300	35/20
1088-3545	35	450	35/20
1088-4020	40	200	35/20
1088-4025	40	250	35/20
1088-4030	40	300	35/20
1088-4045	40	450	35/20



# CHROMATOGRAPHY

## Chromatography Column, Teflon Stop cock Spherical Joint, with Coarse fritted Disc




Cat.No	Column		Joint
	I.D. (mm)	Length (mm)	
1089-1320	13	200	35/20
1089-1325	13	250	35/20
1089-1330	13	300	35/20
1089-1345	13	450	35/20
1089-1920	19	200	35/20
1089-1925	19	250	35/20
1089-1930	19	300	35/20
1089-1945	19	450	35/20
1089-2520	25	200	35/20
1089-2525	25	250	35/20
1089-2530	25	300	35/20
1089-2545	25	450	35/20
1089-3020	30	200	35/20
1089-3025	30	250	35/20
1089-3030	30	300	35/20
1089-3045	30	450	35/20
1089-3520	35	200	35/20
1089-3525	35	250	35/20
1089-3530	35	300	35/20
1089-3545	35	450	35/20
1089-4020	40	200	35/20
1089-4025	40	250	35/20
1089-4030	40	300	35/20
1089-4045	40	450	35/20

# CHROMATOGRAPHY

## Chromatography Column


Teflon Stop cock

Cat.No	Column	
	I.D. (mm)	Length (mm)
1090-1320	13	200
1090-1325	13	250
1090-1330	13	300
1090-1345	13	450
1090-1920	19	200
1090-1925	19	250
1090-1930	19	300
1090-1945	19	450
1090-2520	25	200
1090-2525	25	250
1090-2530	25	300
1090-2545	25	450
1090-3020	30	200
1090-3025	30	250
1090-3030	30	300
1090-3045	30	450
1090-3520	35	200
1090-3525	35	250
1090-3530	35	300
1090-3545	35	450
1090-4020	40	200
1090-4025	40	250
1090-4030	40	300
1090-4045	40	450
1090-5025	50	250
1090-5030	50	300
1090-5045	50	450
1090-5060	50	600
1090-6425	64	250
1090-6430	64	300
1090-6445	64	450
1090-6460	64	600



# CHROMATOGRAPHY

## Chromatography Column, Teflon Stop cock With coarse fritted disc




Cat.No	Column	
	I.D. (mm)	Length (mm)
1091-1320	13	200
1091-1325	13	250
1091-1330	13	300
1091-1345	13	450
1091-1920	19	200
1091-1925	19	250
1091-1930	19	300
1091-1945	19	450
1091-2520	25	200
1091-2525	25	250
1091-2530	25	300
1091-2545	25	450
1091-3020	30	200
1091-3025	30	250
1091-3030	30	300
1091-3045	30	450
1091-3520	35	200
1091-3525	35	250
1091-3530	35	300
1091-3545	35	450
1091-4020	40	200
1091-4025	40	250
1091-4030	40	300
1091-4045	40	450
1091-5025	50	250
1091-5030	50	300
1091-5045	50	450
1091-5060	50	600
1091-6425	64	250
1091-6430	64	300
1091-6445	64	450
1091-6460	64	600

# CHROMATOGRAPHY


Chromatography Column, Teflon Stop cock  
Standard taper joint

Cat.No	Column		Joint
	I.D. (mm)	Length (mm)	
1092-1320	13	200	24/40
1092-1330	13	300	24/40
1092-1920	19	200	24/40
1092-1930	19	300	24/40
1092-2520	25	200	24/40
1092-2530	25	300	24/40
1092-2545	25	450	24/40
1092-3520	35	200	24/40
1092-3530	35	300	24/40
1092-3545	35	450	24/40
1092-4050	50	500	24/40
1092-5050	50	500	24/40




Chromatography Column, Teflon Stop cock  
Standard taper Joint, with Coarse tritted disc

Cat.No	Column		Joint
	I.D. (mm)	Length (mm)	
1093-1320	13	200	24/40
1093-1330	13	300	24/40
1093-1920	19	200	24/40
1093-1930	19	300	24/40
1093-2520	25	200	24/40
1093-2530	25	300	24/40
1093-2545	25	450	24/40
1093-3520	35	200	24/40
1093-3530	35	300	24/40
1093-3545	35	450	24/40
1093-4050	50	500	24/40
1093-5050	50	500	24/40




# CHROMATOGRAPHY

## Chromatography Column. Teflon Stopcock Spherical Joint



Cat.No	Column		Joint
	I.D. (mm)	Length (mm)	
1094-1320	13	200	35/20
1094-1330	13	300	35/20
1094-1920	19	200	35/20
1094-1930	19	300	35/20
1094-2520	25	200	35/20
1094-2530	25	300	35/20
1094-2545	25	450	35/20
1094-3520	35	200	35/20
1094-3530	35	300	35/20
1094-3545	35	450	35/20
1094-4050	50	500	35/20
1094-5050	50	500	35/20



## Chromatography Column. Teflon Stopcock Spherical Joint, W/Coarse Fritted Disk

Cat.No	Column		Joint
	I.D. (mm)	Length (mm)	
1095-1320	13	200	35/20
1095-1330	13	300	35/20
1095-1920	19	200	35/20
1095-1930	19	300	35/20
1095-2520	25	200	35/20
1095-2530	25	300	35/20
1095-2545	25	450	35/20
1095-3520	35	200	35/20
1095-3530	35	300	35/20
1095-3545	35	450	35/20
1095-4050	50	500	35/20
1095-5050	50	500	35/20

# CHROMATOGRAPHY

## Column/Funnel, Standard Taper Joint W/Coarse Fritted Disc

Cat.No	Column		Joint
	I.D. (mm)	Length (mm)	
1096-3020	30	200	24/40
1096-3030	30	300	24/40
1096-3520	35	200	24/40
1096-3530	35	300	24/40
1096-4020	40	200	24/40
1096-4030	40	300	24/40

## Reservoir, Standard Taper Joint

Cat.No	Capacity	Joint
1097-2401	100	24/40
1097-2402	250	24/40
1097-2405	500	24/40

## Reservoir, Spherical Joint

Cat.No	Capacity	Joint
1098-2401	100	35/20
1098-2402	250	35/20
1098-2405	500	35/20

## Flow Control Adapter Standard Taper Joint

Cat.No	Joint	Vacuum Valve Orifice
1099-2401	24/40	0-4
1099-2402	45/50	0-4

## Flow Control Adapter Spherical Joint

Cat.No	Joint	Vacuum Valve Orifice
1100-2401	35/20	0-4

