



# FUNNELS



**Funnel, Separatory, Squidd, Glass Stopcock**  
Supplied without stopper

Cat.No	Capacity ml	Stopcock Bore(mm)	Joint Size
1026-1010	10	2	14/20
1026-9025	25	2	19/22
1026-9050	50	2	19/22
1026-9100	100	2	19/22
1026-9125	125	2	19/22
1026-4250	250	2	24/40
1026-4500	500	4	24/40
1026-2001	1000	4	29/42



**Funnel, Separatory, Squidd, Teflon Stopcock**  
Supplied without stopper


Cat.No	Capacity ml	Stopcock Bore(mm)	Joint Size
1027-1010	10	2	14/20
1027-9025	25	2	19/22
1027-9050	50	2	19/22
1027-9100	100	2	19/22
1027-9125	125	2	19/22
1027-4250	250	2	24/40
1027-4500	500	4	24/40
1027-2001	1000	4	29/42

# FUNNELS

## Funnel, Separatory, Squibb, Glass Stopcock

Supplied without stopper


Cat.No	Capacity ml	Stopcock Bore(mm)	Joint & Stopper
1028-9100	100	2	19/22
1028-9125	125	2	19/22
1028-4250	250	2	24/40
1028-4500	500	4	24/40
1028-2001	1000	4	29/42



## Funnel, Separatory, Squibb, Teflon Stopcock

Supplied without stopper


Cat.No	Capacity ml	Stopcock Bore(mm)	Joint & Stopper
1029-9100	100	2	19/22
1029-9125	125	2	19/22
1029-4250	250	2	24/40
1029-4500	500	4	24/40
1029-2001	1000	4	29/42



# FUNNELS


## Funnel, Pressure Equalizing, Glass Stopcock Supplied without stopper

Cat.No	Capacity ml	Stopcock Bore(mm)	Joint & Stopper
1030-1010	10	2	14/20
1030-1025	25	2	14/20
1030-1050	50	2	14/20
1030-1125	125	2	14/20
1030-9125	125	2	19/22
1030-9250	250	2	19/22
1030-4250	250	2	24/40



## Funnel, Pressure Equalizing, Teflon Stopcock Supplied without stopper

Cat.No	Capacity ml	Stopcock Bore(mm)	Joint & Stopper
1031-1010	10	2	14/20
1031-1025	25	2	14/20
1031-1050	50	2	14/20
1031-1125	125	2	14/20
1031-9125	125	2	19/22
1031-9250	250	2	19/22
1031-4250	250	2	24/40



## Funnel, Pressure Equalizing, High Vacuum Valve Supplied without stopper



Cat.No	Capacity ml	Stopcock Bore(mm)	Joint & Stopper
1032-1025	25	2	14/20
1032-1050	50	2	14/20
1032-1125	125	2	14/20
1032-9125	125	2	19/22
1032-9250	250	2	19/22
1032-4250	250	2	24/40

# FUNNELS

## Funnel, Pressure Equalizing, Glass Stopcock

Supplied without stopper


Cat.No	Capacity ml	Stopcock Bore(mm)	Joint & Stopper
1033-1010	10	2	14/20
1033-1025	25	2	14/20
1033-1050	50	2	14/20
1033-1125	125	2	14/20
1033-9125	125	2	19/22
1033-9250	250	2	19/22
1033-4250	250	2	24/40



## Funnel, Pressure Equalizing, Teflon Stopcock

Supplied without stopper

Cat.No	Capacity ml	Stopcock Bore(mm)	Joint & Stopper
1034-1010	10	2	14/20
1034-1025	25	2	14/20
1034-1050	50	2	14/20
1034-1125	125	2	14/20
1034-9125	125	2	19/22
1034-9250	250	2	19/22
1034-4250	250	2	24/40




## Funnel, Pressure Equalizing, High Vacuum Valve

Supplied without stopper

Cat.No	Capacity ml	Stopcock Bore(mm)	Joint & Stopper
1035-1025	25	2	14/20
1035-1050	50	2	14/20
1035-1125	125	2	14/20
1035-9125	125	2	19/22
1035-9250	250	2	19/22
1035-4250	250	2	24/40


# Funnels - Buchner



## Filter Funnel, Buchner

Cat.No	Capacity ml Porosity	Disc o.d. (mm)	Stem o.d. × Length
1036-0021	2 C	10	6×30
1036-0022	2 M	10	6×30
1036-0151	15 C	20	8×75
1036-0152	15 M	20	8×75
1036-0300	30 XC	30	8 × 75
1036-0301	30 C	30	8 × 75
1036-0302	30 M	30	8 × 75
1036-0600	60 XC	40	10 × 75
1036-0601	60 C	40	10 × 75
1036-0602	60 M	40	10 × 75
1036-1500	150 XC	60	16 × 75
1036-1501	150 C	60	16 × 75

## Filter Funnel, Buchner



Cat.No	Capacity ml Porosity & Joint	Disc o.d. (mm)	Joint Size
1037-1151	15 C	20	14/20
1037-1152	15 M	20	14/20
1037-4151	15 C	20	24/40
1037-4152	15 M	20	24/40
1037-1300	30 XC	30	14/20
1037-1301	30 C	30	14/20
1037-1302	30 M	30	14/20
1037-4300	30 XC	30	24/40
1037-4301	30 C	30	24/40
1037-4302	30 M	30	24/40
1037-1600	60 XC	40	14/20
1037-1601	60 C	40	14/20
1037-1602	60 M	40	14/20
1037-4600	60 XC	40	24/40
1037-4601	60 C	40	24/40
1037-4602	60 M	40	24/40
1037-4500	150 XC	60	24/40
1037-4501	150 C	60	24/40
1037-2500	150 XC	60	29/42
1037-2501	150 C	60	29/42

## Fritted Glassware

Porosity	Pore Size	Mesh
XC (Extra Coarse)	150-250 μ	60-100
C (Coarse)	100-150 μ	100-160
M (Medium)	40-63 μ	260-325

# Funnel – Filter Tube

## Filter Tube, Fritted Disc

Cat.No	Joint Size	Disc o.d. (mm)	Porosity
1038-0201	14/20	20	C
1038-0202	14/20	20	M
1038-0301	14/20	30	C
1038-0302	14/20	30	M
1038-0361	24/40	36	C
1038-0362	24/40	36	M

## Filter Tube, Fritted Disc, Glass Stopcock

With 2mm stopcock

Cat.No	Joint Size	Disc o.d. (mm)	Porosity
1039-0201	14/20	20	C
1039-0202	14/20	20	M
1039-0301	14/20	30	C
1039-0302	14/20	30	M
1039-0361	24/40	36	C
1039-0362	24/40	36	M

## Filter Tube, Fritted Disc, Glass Stopcock

With 2mm stopcock

Cat.No	Joint Size	Disc o.d. (mm)	Porosity
1040-0201	14/20	20	C
1040-0202	14/20	20	M
1040-0301	14/20	30	C
1040-0302	14/20	30	M
1040-0361	24/40	36	C
1040-0362	24/40	36	M

